

Dioscorea bulbifera L., 1753 (Hoffe)

Identifiants : 1362/diobul

Fiche réalisée par Patrick Le Ménahèze ([Le Potager de mes/nos Rêves](#))
Dernière modification le 22/09/2020

• **Classification/taxinomie :**

◦ Famille : Dioscoreaceae ;

- Synonymes : *Dioscorea crispata* Roxb. 1832, *Dioscorea heterophylla* Roxb. 1832, *Dioscorea lutea* auct (non G.Mey.) ? (qp*), *Dioscorea pulchella* Roxb. 1832 ;
- Synonymes français : igname bulbifère, pomme-en-l'air, masako, pomme Edward ;
- Nom(s) anglais et/ou international(aux) : air potato, potato yam ;



(tubercules cuits $\mu < 0, < 27$)

• Note : ***

• Note perso : ***

- Rapport de consommation et comestibilité/consommabilité inférée (partie(s) utilisable(s) et usage(s) alimentaire(s) correspondant(s)) : Racine (tubercules $\mu 0(+x), 27(+x)\mu$ et bulbilles cuits $\mu \{ \{ 0(+x), 27(+x)\mu$ [nourriture/aliment $\mu \{ \{ \{ (dp^*)\mu$: légume $\mu 0(+x)\mu$] comestible $\mu 0(+x)\mu$. (1*) ;

Les bulbilles sont plus communément consommés ; certains types sont amers et non comestibles ou au moins nécessitent un traitement (préparation) et/ou une cuisson spécifique(s) $\mu \{ \{ 0(+x)\mu$. Plante largement cultivée sous les tropiques ; plante cultivée localement et aux USA ; nombreux cultivars $\mu \{ \{ 27(+x)\mu$;



Précautions à prendre :

(1*)ATTENTION : certaines variétés sont toxiques $\mu < 0(+x)\mu$.

- Illustration(s) (photographie(s) et/ou dessin(s)):

Par Hooker W. (*The paradisus londinensis*, t. 17, 1805) [W. Hooker], via [plantillustrations.org](#)

• Liens, sources et/ou références :

◦ Wikipedia :

- <https://fr.wikipedia.org/wiki/Hoffe> (en français) ;
- https://en.wikipedia.org/wiki/Dioscorea_bulbifera (source en anglais) ;

dont classification :

- ["The Plant List" \(en anglais\)](#) ;
- ["GRIN" \(en anglais\)](#) ;
- [INPI \(recherche en anglais\)](#) ;

dont Google (recherche de/pour) "*Dioscorea bulbifera*" : [pages, images](#) / "Hoffe" : [pages](#) ;

dont livres et bases de données : 0"FOOD PLANTS INTERNATIONAL" (en anglais), 27Dictionnaire des plantes comestibles (livre, pages 115 et 116, par Louis Bubenicek), 76Le Potager d'un curieux - histoire, culture et usages de 250 plantes comestibles peu connues ou inconnues (livre, pages 230 à 284 [*Dioscorea bulbifera* L., *Dioscorea crispata* Roxb., *Dioscorea heterophylla* Roxb. et *Dioscorea pulchella* Roxb.], par A. Paillieux et D. Bois) ;

dont biographie/références de "FOOD PLANTS INTERNATIONAL" :

Potato yam references *Dioscorea bulbifera* ; Abbiw, D.K., 1990, *Useful Plants of Ghana. West African uses of wild and cultivated plants. Intermediate Technology Publications and the Royal Botanic Gardens, Kew.* p 27 ; Ambasta, S.P. (Ed.), 2000, *The Useful Plants of India. CSIR India.* p 174 ; Anderson, E. F., 1993, *Plants and people of the Golden Triangle. Dioscorides Press.* p 209 ; Aryal, K. P. et al, 2009, *Uncultivated Plants and Livelihood Support - A case study from the Cheopang people of Nepal. Ethnobotany Research and Applications.* 7:409-422 ; Bandyopadhyay, S. et al, 2009, *Wild edible plants of Koch Bihar district, West Bengal. Natural Products Radiance* 8(1) 64-72 ; Barrau, J., 1976, *Subsistence Agriculture in Polynesia and Micronesia. Bernice P. Bishop Museum, Bulletin* 223 Honolulu Hawaii. Kraus reprint. p 45 ; BHARGAVA, ; BHARGAVA, (As *Dioscorea versicolor*) ; Borrell, O.W., 1989, *An Annotated Checklist of the Flora of Kairiru Island, New Guinea. Marcellin College, Victoria Australia.* p 20 ; Brouk, B., 1975, *Plants Consumed by Man. Academic Press, London.* p 144 ; Burkill, H. M., 1985, *The useful plants of west tropical Africa, Vol. 1. Kew.* ; Burkill, I.H., 1911, *The polarity of the bulbils of Dioscorea bulbifera Linn. J. Proc. Asiat. Soc. Bengal (n.s.)*7:467-469. ; Burkill, I.H., 1966, *A Dictionary of the Economic Products of the Malay Peninsula. Ministry of Agriculture and Cooperatives, Kuala Lumpur, Malaysia. Vol 1 (A-H) p 829 ; Cherikoff V. & Isaacs, J., The Bush Food Handbook. How to gather, grow, process and cook Australian Wild Foods. Ti Tree Press, Australia p 22, 199 ; Chevalier, A., 1936, *Contribution a l'étude de quelques especes africaines du genre Dioscorea. Bull. Mus. Natl. Hist. Nat. Paris. 2nd Ser, 8(6):*520-551. ; Chevalier, A., 1947, *Une igname d'Afrique employée dans les empoisonnements criminels. Rev. Int. Bot. Appl. Agric. Trop.* 27(291-292):56-57. ; Cooper, W. and Cooper, W., 2004, *Fruits of the Australian Tropical Rainforest. Nokomis Editions, Victoria, Australia.* p 152 ; Coursey, D.G., 1967, *Yams. An account of the nature, origins, cultivation and utilisation of the useful members of the Dioscoreaceae. 230pp Longmans. London.* ; Coursey, D.G., 1979, *Yams, in Simmonds N.W.,(ed), Crop Plant Evolution. Longmans. London.* p 70 ; Cowie, I, 2006, *A Survey of Flora and vegetation of the proposed Jaco-Tutuala-Lore National Park. Timor-Lests (East Timor) www.territorystories.nt.gov.au* p 46 ; Ding Zhizun, Gilbert, M. G., *DIOSCOREACEAE, shu yu ke, Flora of China,* ; Dutta, U., 2012, *Wild Vegetables collected by the local communities from the Churang reserve if BTDM Assam. International Journal of Science and Advanced Technology. Vol. 2(4) p 121 ; Ekman Herbarium records Haiti ; Elliot, W.R., & Jones, D.L., 1984, *Encyclopedia of Australian Plants suitable for cultivation. Vol 3. Lothian.* p 282 ; Facciola, S., 1998, *Cornucopia 2: a Source Book of Edible Plants. Kampong Publications,* p 91 ; *Flora of Pakistan www.eFloras.org* ; Fowler, D. G., 2007, *Zambian Plants: Their Vernacular Names and Uses. Kew.* p 66 ; French, B.R., 1986, *Food Plants of Papua New Guinea, A Compendium. Asia Pacific Science Foundation* p 11 ; French, B.R., 2010, *Food Plants of Solomon Islands. A Compendium. Food Plants International Inc.* p 18 ; Gangwar, A. K. & Ramakrishnan, P. S., 1990, *Ethnobotanical Notes on Some Tribes of Arunachal Pradesh, Northeastern India. Economic Botany, Vol. 44, No. 1 pp. 94-105 ; HANDY, ; Hedrick, U.P., 1919, (Ed.), *Sturtevant's edible plants of the world.* p 273 ; Henderson, C.P. and I.R.Hancock, 1988, *A Guide to the Useful Plants of the Solomon Islands. Res. Dept. Min of Ag. & Lands. Honiara, Solomon Islands.* p 20 ; Hiddins, L., 1999, *Explore Wild Australia with the Bush Tucker Man. Penguin Books/ABC Books.* p 160 ; Hu, Shiu-ying, 2005, *Food Plants of China. The Chinese University Press.* p 322 ; Isaacs, J., 1987, *Bush Food, Aboriginal Food and Herbal Medicine. Weldons.* p 95 ; Jackes, B.R., 2001, *Plants of the Tropics. Rainforest to Heath. An Identification Guide. James Cook University.* p 50 ; Jacquat, C., 1990, *Plants from the Markets of Thailand. D.K. Book House* p 102 ; *Japanese International Research Centre for Agricultural Science www.jircas.affrc.go.jp/project/value_addition/Vegetables* ; Jardin, C., 1970, *List of Foods Used In Africa, FAO Nutrition Information Document Series No 2.*p 13 ; Jones D, L, 1986, *Ornamental Rainforest Plants in Australia, Reed Books,* p 287 ; Karnick, C.B., 1969, *Dioscorea (yams), the food of the slaves with potential for newer drugs. Q. J. Crude Drug res.* 9:1372-1391. ; Kawasaki, T., Komori, T., and Setoguchi, S., 1968, *Furanoid norditerpenes from Dioscorea plants. 1 Diosbulbines a,b, & c from Dioscorea bulbifera forma spontanea Makino et Nemoto. Chem. Pharm. Bull. (Tokyo)* 15:2430-2435. ; Kay, D.E., 1973, *Root Crops, Digest 2, Tropical Products Institute, London,* p 190, 229 ; Kays, S. J., and Dias, J. C. S., 1995, *Common Names of Commercially Cultivated Vegetables of the World in 15 languages. Economic Botany, Vol. 49, No. 2, pp. 115-152 ; Kenneally, K.E., Edinger, D. C., and Willing T., 1996, *Broome and Beyond, Plants and People of the Dampier Peninsula, Kimberley, Western Australia. Department of Conservation and Land Management.* p 210 ; Kiple, K.F. & Ornelas, K.C., (eds), 2000, *The Cambridge World History of Food. CUP* p 1715 ; Kuo, W. H. J., (Ed.) *Taiwan's Ethnobotanical Database (1900-2000), http://tk.agron.ntu.edu.tw/ethnobot/DB1.htm* ; Lawton, J.R.C., and Lawton, June R., 1967, *The morphology of the dormant embryo and young seedling of five species of Dioscorea from Nigeria. Proc. Linn. Soc. Lond.* 178:153-159. ; Lazarides, M. & Hince, B., 1993, *Handbook of Economic Plants of Australia, CSIRO.* p 82 ; Lembaga Biologi Nasional, 1977, *Ubi-Ubian, Balai Pustaka, Jakarta.* p 36 ; Llamas, K.A., 2003, *Tropical Flowering Plants. Timber Press.* p 185 ; Low, T., 1991, *Wild Food Plants of Australia. Australian Nature FieldGuide, Angus & Robertson.* p 120 ; Low, T., 1992, *Bush Tucker. Australia's Wild Food Harvest. Angus & Robertson.* p 106 ; Lulekal, E., et al, 2011, *Wild edible plants in Ethiopia: a review on their potential to combat food insecurity. Afrika Focus - Vol. 24, No 2. pp 71-121 ; Malaisse, F., 1997, *Se nourrir en floret claire africaine. Approche ecologique et nutritionnelle. CTA.,* p 61 ; Manandhar, N.P., 2002, *Plants and People of Nepal. Timber Press. Portland, Oregon.* p 202 ; Marinelli, J. (Ed), 2004, *Plant. DK.* p 452 ; Martin, F.W., & Ortiz, S., 1963, *Chromosome numbers and behaviour in some******

species of *Dioscorea*. *Cytologia* 28:96-101. ; Martin, F.W., Telek, L., and Ruberte, R., 1974, The yellow pigments of *Dioscorea bulbifera*. *J. Agric. Food Chem.* 22:335-337. ; Martin, F.W., 1974, *Tropical Yams and their potential Part 2. Dioscorea bulbifera Agricultural handbook No. 466 USDA* ; Maundu, P. et al, 1999, *Traditional Food Plants of Kenya. National Museum of Kenya. 288p* ; Massal, E and Barrau, J., 1973, *Food Plants of the South Sea Islands. SPC Technical Paper No 94. Nounea, New Caledonia. p 12-15* ; Monsalud, M.R., Tongacan, A.L., Lopez, F.R., & Lagrimas, M.Q., 1966, *Edible Wild Plants in Philippine Forests. Philippine Journal of Science. p 459* ; NEAL, ; Ochse, J.J. et al, 1931, *Vegetables of the Dutch East Indies. Asher reprint. p 248* ; Onwueme, I.C., 1978, *The Tropical Tuber Crops. Wiley, p 10* ; Paczkowska, G. & Chapman, A.R., 2000, *The Western Australian Flora. A Descriptive Catalogue. Western Australian Herbarium. p 60* ; Patiri, B. & Borah, A., 2007, *Wild Edible Plants of Assam. Geethaki Publishers. p 145* ; Peekel, P.G., 1984, (Translation E.E.Henty), *Flora of the Bismarck Archipelago for Naturalists, Division of Botany, Lae, PNG. p 95, 94* ; Peters, C. R., O'Brien, E. M., and Drummond, R.B., 1992, *Edible Wild plants of Sub-saharan Africa. Kew. p 17* ; Phon, P., 2000, *Plants used in Cambodia. © Pauline Dy Phon, Phnom Penh, Cambodia. p 235* ; *Plants of Haiti Smithsonian Institute [http://botany.si.edu/antilles/West Indies](http://botany.si.edu/antilles/West%20Indies)* ; Prain, D., and Burkill, I.H., 1914, *A synopsis of the Dioscoreas of the Old World, Africa excluded, with description of new species and varieties. J. Proc. Asiat. Soc. Bengal (n.s.) 10:5-41.* ; Prain, D., and Burkill, I.H., 1936, *An account of the genus Dioscorea Part 1. Species which turn to the left. Ann. Rev. Bot. Gard. (Calcutta) 14:1-210.* ; Purseglove, J.W., 1972, *Tropical Crops. Monocotyledons. Longmans p 102* ; Recher, P, 2001, *Fruit Spirit Botanical Gardens Plant Index. [www.nrg.com.au/~recher/ seedlist.html](http://www.nrg.com.au/~recher/seedlist.html) p 5* ; Ramachandran, V.S. and Nair, V.J., 1981, *Ethnobotanical studies in Cannanore District, Kerala State (India). J Econ. Tax. Bot. Vol 2 pp 65-72* ; RIRDC, 2010, *New Root Vegetables fo the Native Food Industry, Australian Government RIRDC Publication 9/161* ; Sarma, H., et al, 2010, *Updated Estimates of Wild Edible and Threatened Plants of Assam: A Meta-analysis. International Journal of Botany 6(4): 414-423* ; Singh, H.B., Arora R.K., 1978, *Wild edible Plants of India. Indian Council of Agricultural Research, New Delhi. p 12* ; Singh, H.B., Arora R.K., 1978, *Wild edible Plants of India. Indian Council of Agricultural Research, New Delhi. p 13 (As Dioscorea versicolor)* ; Smith, A.C., 1979, *Flora Vitiensis Nova, Lawaii, Kuai, Hawaii, Volume 1 p 168* ; Smith, K., 1998, *Growing Uncommon Fruits and Vegetables. New Holland. p 104* ; Smith, K & I., 1999, *Grow your own bushfoods. New Holland. Australia. p 79* ; Smith, N and Wightman, G.M., 1990, *Ethnobotanical Notes from Belyuen Northern Territory Australia. Northern Territory Botanical Bulletin No 10. Parks and Wildlife Commission of the Northern Territory. p 10, 11* ; Smith, Nicholas et al. 1993, *Ngarinyman Ethnobotany: Aboriginal Plant Use from the Victoria River Area Northern Australia. Northern Territory Botanical Bulletin No 16. Parks and Wildlife Commission of the Northern Territory. p 18, 19* ; Sp. pl. 2:1033. 1753 ; STURTEVANT, ; Sundriyal, M., et al, 1998, *Wild edibles and other useful plants from the Sikkim Himalaya, India. Oecologia Montana 7:43-54* ; Telek, L., Martin, F.W., and Ruberte, R., 1974, *Bitter substances in tubers of Dioscorea bulbifera L. J. Agric.Food Chem. 22:332-334.* ; Thaman, R.R., 1976, *The Tongan Agricultural System, University of the South Pacific, Suva, Fiji. p 396* ; Tindall, H.D., 1983, *Vegetables in the Tropics, Macmillan p 207* ; Townsend, K., 1994, *Across the Top. Gardening with Australian Plants in the tropics. Society for Growing Australian Plants, Townsville Branch Inc. p 160* ; Tredgold, M.H., 1986, *Food Plants of Zimbabwe. Mambo Press. p 8* ; Tutul, E et al, 2009, *Angiospermic Flora of Runctia Sal Forest, Bangladesh. Bangladesh J. Plant Taxon. 16(1): 83-90. p 88* ; Uprety, Y., et al, 2012, *Diversity of use and local knowledge of wild edible plant resources in Nepal. Journal of Ethnobotany and Ethnomedicine 8:16* ; USDA, ARS, National Genetic Resources Program. *Germplasm Resources Information Network - (GRIN). [Online Database] National Germplasm Resources Laboratory, Beltsville, Maryland. Available: www.ars-grin.gov/cgi-bin/npgs/html/econ.pl (10 April 2000)* ; van Wyk, B., 2005, *Food Plants of the World. An illustrated guide. Timber press. p 177* ; Vickery, M.L. and Vickery, B., 1979, *Plant Products of Tropical Africa, Macmillan. p 15* ; White, F., Dowsett-Lemaire, F. and Chapman, J. D., 2001, *Evergreen Forest Flora of Malawi. Kew. p 96* ; Walter, A. & Lebot, V., 2007, *Gardens of Oceania. ACIAR Monograph No. 122 p. 74* ; Wheeler, J.R.(ed.), 1992, *Flora of the Kimberley Region. CALM, Western Australian Herbarium, p 986* ; Wightman, Glenn et al. 1992, *Mangarrayi Ethnobotany: Aboriginal Plant Use from the Elsey Area Northern Australia. Northern Territory Botanical Bulletin No 15. Parks and Wildlife Commission of the Northern Territory. p 18, 19.* ; Wightman, G. M. & Andrews, M.R., 1989, *Plants of Northern Territory Monsoon Vine Forests (Vol 1). Conservation Commission of Northern Territory. p 120* ; Wildeman, E de., 1938, *Dioscorea alimentaires et toxiques (morphologie et biologie). Especies er varietes congolaises. Inst. R., Colon. Belge. Sect. Sci. Nat. Mad., Collect. Octavo, Mem., vol 7. pt 2, 262 pp.* ; Wilkin, P. et al, 2007, *A new edible yam (Dioscorea L.) species endemic to Mayotte, new data on D. comorensis R. Knuth and a key to the yams of the Comoro Archipelago. Adansonia ser. 3, 29(2): 215-228* ; Williamson, J., 2005, *Useful Plants of Malawi. 3rd. Edition. Mdadzi Book Trust. p 97* ; www.zimbabweflora.co.zw 2011 ; Yuncker, T.G., 1959, *Plants of Tonga, Bernice P. Bishop Museum, Hawaii, Bulletin 220. p 83* ; Yunupinu Banjgul, Laklak Yunupinu-Marika, et al. 1995, *Rirratjину Ethnobotany: Aboriginal Plant Use from Yirrkala, Arnhem Land, Australia. Northern Territory Botanical Bulletin No 21. Parks and Wildlife Commission of the Northern Territory. p 34.*