

# Solanum nigrum L., 1753 (Morelle noire)

Identifiants : 3180/solnig

Fiche réalisée par Patrick Le Ménahèze ([Le Potager de mes/nos Rêves](#))  
Dernière modification le 26/09/2020

- **Classification/taxinomie :**
  - Famille : Solanaceae ;
- **Synonymes français :** tue-chien [*Solanum nigrum* et subsp. *nigrum*], raisin de loup, chichiquelite, morelle vert jaune [*Solanum nigrum* et subsp. *nigrum*], morelle commune, morelle des jardins, morelle à fruits noirs, morelle noire [subsp. *nigrum*], brède bleue [var. *nodiflorum*], brède malgache [var. *nodiflorum*], morelle de Schultes [subsp. *schultesii*], calalou, brède morelle, brède monsieur, brède martin ;
- **Nom(s) anglais et/ou international(aux) :** black nightshade, blackberry nightshade, common nightshade, poisonberry, blackberried nightshade, enab el-deeb (ar), schwarzer Nachtschatten (de), erva-moura (pt), pimenta-de-galinha (pt,br), hierba mora (es), nattskatta (sv) ;
- **Rapport de consommation et comestibilité/consommabilité inférée (partie(s) utilisable(s) et usage(s) alimentaire(s) correspondant(s)) :** Partie(s) comestible(s) : fruit, feuilles, légume  
Utilisation(s)/usage(s) culinaires :
  - les fruits mûrs sont cuits et mangés ; ils sont également utilisés pour la soupe ; ils peuvent être cuits ou transformés en tartes, confitures, conserves, desserts, sauces, pâtisseries et une relish épicée ;
  - les feuilles et les jeunes pousses sont consommées cuites (ex. : comme pothebe, brède) ; les feuilles récoltées peuvent être stockées pendant 2-3 jours.



Précautions à prendre :

(1\*)ATTENTION : les fruits peuvent contenir de la solanine (alcaloïde), probablement quand ils sont immatures.

- **Autres infos :** on distingue plusieurs variétés de morelle : brèdes gros grains et brèdes ti grains <Wiki> ;
- **Catégories :** pscf ;
- **Liens, sources et/ou références :**
  - **Wikipedia :**
    - [https://fr.wikipedia.org/wiki/Morelle\\_noire\\_\(en\\_français\)](https://fr.wikipedia.org/wiki/Morelle_noire_(en_français)) ;
    - [https://de.wikipedia.org/wiki/Schwarzer\\_Nachtschatten\\_\(source\\_en\\_anglais\)](https://de.wikipedia.org/wiki/Schwarzer_Nachtschatten_(source_en_anglais)) ;
    - [https://en.wikipedia.org/wiki/Solanum\\_nigrum\\_\(source\\_en\\_anglais\)](https://en.wikipedia.org/wiki/Solanum_nigrum_(source_en_anglais)) ;
  - **Tela Botanica :** <https://www.tela-botanica.org/bdtfx-nn-64930> ;
  - **INPI :** [https://inpn.mnhn.fr/espece/cd\\_nom/124080](https://inpn.mnhn.fr/espece/cd_nom/124080) ;
  - **"Eat The Weeds and other things, too" (en anglais) :** <https://www.eattheweeds.com/american-nightshade-a-much-maligned-edible/> ;
  - **Éco-logique : le blog de François Dumas :** [https://www.ifdumas.fr/La-morelle-noire-Solanum-nigrum\\_a138.html](https://www.ifdumas.fr/La-morelle-noire-Solanum-nigrum_a138.html) ;

dont classification :

- "The Plant List" (en anglais) ;
- "GRIN" (en anglais) ;
- INPI (recherche, en anglais) ;

dont Google (recherche de/pour) "Solanum nigrum" : [pages](#), [images](#) / "Morelle noire" : [pages](#) ;

dont livres et bases de données : "FOOD PLANTS INTERNATIONAL" (en anglais), 76Le Potager d'un curieux -

histoire, culture et usages de 250 plantes comestibles peu connues ou inconnues (livre, page 410, par A. Paillieux et D. Bois) ;

dont biographie/références de "FOOD PLANTS INTERNATIONAL" :

Abbiw, D.K., 1990, *Useful Plants of Ghana. West African uses of wild and cultivated plants. Intermediate Technology Publications and the Royal Botanic Gardens, Kew.* p 41 ; Acipa, A. et al, 2013, *Nutritional Profile of some Selected Food Plants of Otwal and Ngai Counties, Oyam District, Northern Uganda. African Journal of Food, Agriculture, Nutrition and Development.* 13(2) ; Addis, G., et al, 2005, *Ethnobotanical Study of Edible Wild Plants in Some Selected Districts of Ethiopia. Human Ecology, Vol. 33, No. 1, pp. 83-118* ; Agea, J. G., et al 2011, *Wild and Semi-wild Food Plants of Bunyoro-Kitara Kingdom of Uganda: etc. Environmental Research Journal* 5(2) 74-86 ; Ambasta, S.P. (Ed.), 2000, *The Useful Plants of India. CSIR India.* p 581 ; Anderson, E. F., 1993, *Plants and people of the Golden Triangle. Dioscorides Press.* p 221 ; Asfaw, Z. and Tadesse, M., 2001, *Prospects for Sustainable Use and Development of Wild Food Plants in Ethiopia. Economic Botany, Vol. 55, No. 1, pp. 47-62* ; Barrau, J., 1976, *Subsistence Agriculture in Polynesia and Micronesia. Bernice P. Bishop Museum, Bulletin 223 Honolulu Hawaii. Kraus reprint.* p 59 ; Beckstrom-Sternberg, Stephen M., and James A. Duke. "The Foodplant Database." <http://probe.nalusda.gov:8300/cgi-bin/browse/foodplantdb>. (ACEDB version 4.0 - data version July 1994) ; Bindon, P., 1996, *Useful Bush Plants. Western Australian Museum.* p 233 ; Blamey, M and Grey-Wilson, C., 2005, *Wild flowers of the Mediterranean. A & C Black London.* p 405 ; Bodkin, F., 1991, *Encyclopedia Botanica. Cornstalk publishing,* p 934 ; Bodner, C. C. and Gereau, R. E., 1988, *A Contribution to Bontoc Ethnobotany. Economic Botany, 43(2): 307-369* ; Bremness, L., 1994, *Herbs. Collins Eyewitness Handbooks. Harper Collins.* p 270 ; Burkill, I.H., 1966, *A Dictionary of the Economic Products of the Malay Peninsula. Ministry of Agriculture and Cooperatives, Kuala Lumpur, Malaysia. Vol 2 (I-Z) p 2082* ; Cherikoff V. & Isaacs, J., *The Bush Food Handbook. How to gather, grow, process and cook Australian Wild Foods. Ti Tree Press, Australia* p 120, 191, 196 ; Cooper, W. and Cooper, W., 2004, *Fruits of the Australian Tropical Rainforest. Nokomis Editions, Victoria, Australia.* p 522 ; Crowe, A., 1997, *A Field Guide to the Native Edible Plants of New Zealand. Penguin.* p 72 ; Cribb, A.B. & J.W., 1976, *Wild Food in Australia, Fontana.* p 74 ; Dashorst, G.R.M., and Jessop, J.P., 1998, *Plants of the Adelaide Plains & Hills. Botanic Gardens of Adelaide and State Herbarium.* p 128 ; Diaz-Betancourt, M., et al, 2001, *Weeds as a future source for human consumption. (On Plants for a Future website)* ; Dogan, Y. et al, 2013, *Wild Edible Plants sold in the Local Markets of Izmir, Turkey. Pak. J. Bot.* 45(S1): 177-184 ; Dutta, U., 2012, *Wild Vegetables collected by the local communities from the Churang reserve if BTDM Assam. International Journal of Science and Advanced Technology. Vol. 2(4) p 124* ; Edmonds, Jennifer M. and James A. Chweya. 1997. *Black nightshades. Solanum nigrum L. and related species. Promoting the conservation and use of underutilized and neglected crops. 15. Institute of Plant Genetics and Crop Plant Research, Gatersleben/International Plant Genetic Resources Institute, Rome, Italy.* ; Epenhuijsen C.W. van., 1974, *Growing Native vegetables in Nigeria. FAO Rome,* p 86 ; Ertug, F., 2004, *Wild Edible Plants of the Bodrum Area. (Mugla, Turkey). Turk. J. Bot.* 28 (2004): 161-174 ; Ethiopia: *Famine Food Field Guide.* <http://www.africa.upenn.edu/faminefood/category2.htm> ; Facciola, S., 1998, *Cornucopia 2: a Source Book of Edible Plants. Kampong Publications,* p 237 ; *Flora of Australia Volume 49, Oceanic Islands 1, Australian Government Publishing Service, Canberra.* (1994) p 299 ; *Flora of Pakistan.* [www.eFloras.org](http://www.eFloras.org) ; *Food Composition Tables for the Near East.* <http://www/fao.org/docrep/No. 441> ; Fowler, D. G., 2007, *Zambian Plants: Their Vernacular Names and Uses. Kew.* p 61 ; French, B.R., 1986, *Food Plants of Papua New Guinea, A Compendium. Asia Pacific Science Foundation* p 60 ; French, B.R., 2010, *Food Plants of Solomon Islands. A Compendium. Food Plants International Inc.* p 73 ; GAMMIE ; Gangwar, A. K. & Ramakrishnan, P. S., 1990, *Ethnobotanical Notes on Some Tribes of Arunachal Pradesh, Northeastern India. Economic Botany, Vol. 44, No. 1 pp. 94-105* ; Gbile, Z. O. and Adesina, S. K., 1988, *Nigerian Solanum Species of Economic Importance. Annals of the Missouri Botanical Garden, Vol. 75, No. 3.* p 864 ; Godfrey, J. et al, 2013, *Harvesting, preparation and preservation of commonly consumed wild and semi-wild food plants in Bunyoro-Kitara Kingdom, Uganda. Int. J. Med. Arom. Plants. Vol.3 No.2 pp 262-282* ; Goode, P., 1989, *Edible Plants of Uganda. FAO* p 26 ; Goode, P., 1989, *Edible Plants of Uganda. FAO* p 39 ; Grubben, G. J. H. and Denton, O. A. (eds), 2004, *Plant Resources of Tropical Africa 2. Vegetables. PROTA, Wageningen, Netherlands.* p 565 ; GUPTA & KANODIA ; Harris, S., Buchanan, A., Connolly, A., 2001, *One Hundred Islands: The Flora of the Outer Furneaux. Tas Govt.* p 230 ; Hedrick, U.P., 1919, (Ed.), *Sturtevant's edible plants of the world.* p 619 ; HELY-HUTCHINSON ; Henty, E.E., & Pritchard, G.S., 1973, *Weeds of New Guinea and their control. Botany Bulletin No 7, Division of Botany, Lae, PNG.* p 149 ; <http://cypruswildflowers.com> ; Hussey, B.M.J., Keighery, G.J., Cousens, R.D., Dodd, J., Lloyd, S.G., 1997, *Western Weeds. A guide to the weeds of Western Australia. Plant Protection Society of Western Australia.* p 222 ; Hu, Shiu-ying, 2005, *Food Plants of China. The Chinese University Press.* p 669 ; Hyde-Wyatt, B.H. & Morris D.I., 1975, *Tasmanian Weed Handbook. Dept of Ag Tasmania.* p 65 ; Jardin, C., 1970, *List of Foods Used In Africa, FAO Nutrition Information Document Series No 2.* p 103 ; Jin, Chen et al, 1999, *Ethnobotanical studies on Wild Edible Fruits in Southern Yunnan: Folk Names: Nutritional Value and Uses. Economic Botany* 53(1) pp 2-14 ; Johns, T., Mhoro, E. B. and Sanaya, P., 1996, *Food Plants and Masticants of the Batemi of Ngorongoro District, Tanzania. Economic Botany, Vol. 50, No. 1, pp. 115-121* ; Kang, Y., et al, 2012, *Wild food plants and wild edible fungi in two valleys on the Qinling Mountains (Shaanxi, central China) Journal of Ethnobiology and Ethnomedicine;* 9:26 ; Kargioglu, M., et al, 2008, *An Ethnobotanical Survey of Inner-West Anatolia, Turkey. Human Ecology* 36:763-777 ; Kays, S. J., and Dias, J. C. S., 1995, *Common Names of Commercially Cultivated Vegetables of the World in 15 languages. Economic Botany, Vol. 49, No. 2, pp. 115-152* ; Kepe, T., 2008, *Social Dynamics of the Value of Wild Edible Leaves (Imifino) in a South African Rural Area. Ecology of Food and Nutrition,* 47:531-558 ; Kenneally, K.E., Edinger, D. C., and Willing T., 1996, *Broome and Beyond, Plants and People of the Dampier Peninsula, Kimberley, Western Australia. Department of Conservation and Land Management.* p 197 ; Khasbagan, Hu-Yin Huai, and Sheng-Ji pei, 2000, *Wild Plants in the Diet of Athorchin Mongol Herdsmen in Inner Mongolia. Economic Botany* 54(4): 528-536 ; Kiple, K.F. & Ornelas, K.C., (eds), 2000, *The Cambridge World History of Food. CUP* p 1883 ; Kuo, W. H. J., (Ed.) *Taiwan's Ethnobotanical Database (1900-2000),* <http://tk.agron.ntu.edu.tw/ethnobot/DB1.htm> ; Lamp, C & Collet F., 1989, *Field Guide to Weeds in Australia. Inkata Press.* p 277 ; Larkcom, J., 1991, *Oriental Vegetables, John Murray, London,* p 129 ;

Lazarides, M. & Hince, B., 1993, *Handbook of Economic Plants of Australia*, CSIRO. p 223 ; Letsela, T., et al, 2003, *Plant Resources Used for Subsistence in Tsehlanyane and Boking in Lesotho*. *Economic Botany* 57(4): 619-639 ; *Lembogi Biologi Nasional*, 1980, *Sayur-sayuran*. Balai Pustaka, Jakarta. p 78 ; Long, C., 2005, *Swaziland's Flora - siSwati names and Uses* <http://www.sntc.org.sz/flora/> ; Low, T., 1991, *Wild Herbs of Australia and New Zealand*. Angus & Robertson. p 98 (Drawing) ; Low, T., 1992, *Bush Tucker*. *Australia's Wild Food Harvest*. Angus & Robertson. p 72 ; Lulekal, E., et al, 2011, *Wild edible plants in Ethiopia: a review on their potential to combat food insecurity*. *Afrika Focus - Vol. 24, No 2*. pp 71-121 ; Lyimo, M., et al, 2003, *Identification and nutrient composition of indigenous vegetables of Tanzania*. *Plant Foods for Human Nutrition*. 58: 85-92 ; Lykke, A. M., Mertz, O, and Ganaba, S., 2002, *Food Consumption in Rural Burkina Faso, Ecology of Food and Nutrition*, 41:119-152 ; Macmillan, H.F. (Revised Barlow, H.S., et al), 1991, *Tropical Planting and Gardening*. Sixth edition. Malayan Nature Society. Kuala Lumpur. p 357 ; Manandhar, N.P., 2002, *Plants and People of Nepal*. Timber Press. Portland, Oregon. p 431 ; Maroyi, A., 2011, *The Gathering and Consumption of Wild Edible Plants in Nhema Communal Area, Midlands Province, Zimbabwe*. *Ecology of Food and Nutrition* 50:6, 506-525 ; Marshall, F., *Agriculture and Use of Wild and Weedy Greens by the Piik ap Oom Okiek of Kenya*. *Economic Botany*, Vo. 55, No. 1, pp. 32-47 ; Martin, F.W. & Ruberte, R.M., 1979, *Edible Leaves of the Tropics*. Antillian College Press, Mayaguez, Puerto Rico. p 76, 220 ; Massal, E. and Barrau, J., 1973, *Food Plants of the South Sea Islands*. SPC Technical Paper No 94. Noumea, New Caledonia. p 36 ; Maundu, P. et al, 1999, *Traditional Food Plants of Kenya*. National Museum of Kenya. 288p ; Mertz, O., Lykke, A. M., and Reenberg, A., 2001, *Importance and Seasonality of Vegetable Consumption and Marketing in Burkina Faso*. *Economic Botany*, 55(2):276-289 ; Moerman, D. F., 2010, *Native American Ethnobotany*. Timber Press. p 535 ; Molla, A., *Ethiopian Plant Names*. <http://www.ethiopic.com/aplants.htm> ; Monsalud, M.R., Tongacan, A.L., Lopez, F.R., & Lagrimas, M.Q., 1966, *Edible Wild Plants in Philippine Forests*. *Philippine Journal of Science*. p 545 ; *Mot So Rau Dai an Duoc O Vietnam*. *Wild edible Vegetables*. Ha Noi 1994, p 180 ; Musinguzi, E., et al, 2006, *Utilization of Indigenous Food Plants in Uganda: A Case Study of South-Western Uganda*. *AJFAND Vol. 6(2)* ; Ochse, p 684 ; Ogle, B. M., et al, 2003, *Food, Feed or Medicine: The Multiple Functions of Edible Wild Plants in Vietnam*. *Economic Botany* 57(1): 103-117 ; Okigbo, B.N., *Vegetables in Tropical Africa*, in Opena, R.T. & Kyomo, M.L., 1990, *Vegetable Research and development in SADCC countries*. Asian Vegetable Research and development Centre. Taiwan. p 45 ; Oomen, H.A.P.C., & Grubben, G.J.H., 1978, *Tropical Leaf Vegetables in Human Nutrition*, *Communication* 69, Department of Agricultural research, RTI Amsterdam, p 36, 100 ; Oryema, C., et al, 2013, *Edible wild fruit species of Gulu District, Uganda*. *International Journal of Biology and Biological Sciences Vol 2(4)* pp 068-082 ; Paczkowska, G. & Chapman, A.R., 2000, *The Western Australian Flora. A Descriptive Catalogue*. Western Australian Herbarium. p 538 ; Patiri, B. & Borah, A., 2007, *Wild Edible Plants of Assam*. Geethaki Publishers. p 90 ; Pfoze, N. L., et al, 2012, *Survey and assessment of floral diversity on wild edible plants from Senapati district of Manipur, Northeast India*. *Journal of Biodiversity and Environmental Sciences*. 1(6):50-52 ; Pickering, H., & Roe, E., 2009, *Wild Flowers of the Victoria Falls Area*. Helen Pickering, London. p 107 ; *Plants for a Future database*, The Field, Penpol, Lostwithiel, Cornwall, PL22 0NG, UK. <http://www.scs.leeds.ac.uk/pfaf/> ; Powell, J.M., *Ethnobotany*. In Pajmans, K., 1976, *New Guinea Vegetation*. Australian National University Press. p 111 ; Rashid, A., Anand, V.K. & Serwar, J., 2008, *Less Known Wild Plants Used by the Gujjar Tribe of District Rajouri, Jammu and Kashmir State*. *International Journal of Botany* 4(2):219-244 ; Recher, P, 2001, *Fruit Spirit Botanical Gardens Plant Index*. [www.nrg.com.au/~recher/seedlist.html](http://www.nrg.com.au/~recher/seedlist.html) p 3 ; Redzic, S. J., 2006, *Wild Edible Plants and their Traditional Use in the Human Nutrition in Bosnia-Herzegovina*. *Ecology of Food and Nutrition*, 45:189-232 ; *Royal Botanic Gardens, Kew (1999)*. *Survey of Economic Plants for Arid and Semi-Arid Lands (SEPASAL) database*. Published on the Internet; <http://www.rbgekew.org.uk/ceb/sepasal/internet> [Accessed 11th June 2011] ; Sasi, R. & Rajendran, A., 2012, *Diversity of Wild Fruits in Nilgiri Hills of the Southern Western Ghats - Ethnobotanical Aspects*. *IJABPT*, 3(1) p 82-87 (non L.) ; SAXENA, ; Shackleton, S. E., et al, 1998, *Use and Trading of Wild Edible Herbs in the Central Lowveld Savanna Region, South Africa*. *Economic Botany*, Vol. 52, No. 3, pp. 251-259 ; Sharma, B.B., 2005, *Growing fruits and vegetables*. Publications Division. Ministry of Information and broadcasting. India. p 196 ; Shava, S., 2000, *The Use of Indigenous Plants as Food by a Rural Community in the Eastern Cape: an Educational Exploration*. Masters Thesis Rhodes University. p 67 ; Singh, H.B., Arora R.K., 1978, *Wild edible Plants of India*. Indian Council of Agricultural Research, New Delhi. p 37, 72 ; Smith, P.M., 1979, *Solanums*, in Simmonds, N.W., (ed), *Crop Plant Evolution*. Longmans. London. p 322 ; Sp. pl. 1:186. 1753 ; Srivastava, R. C., 2010, *Traditional knowledge of Nyishi (Daffla) tribe of Arunachal Pradesh*. *Indian Journal of Traditional Knowledge*. 9(1):26-37 ; *Swaziland's Flora Database* <http://www.sntc.org.sz/flora/> ; Tanno, T., 1981, *Plant Utilization of the Mbuti Pygmies: With Special reference to their Material Culture and Use of Wild Vegetable Foods*. Kyoto University Research. *African Study Monographs* 1:1-53 ; *Tasmanian Herbarium Vascular Plants list* p 56 ; Termote, C., et al, 2011, *Eating from the wild: Turumbu, Mbole and Bali traditional knowledge of non-cultivated edible plants, District Tshopo, DR Congo*, *Gen Resourc Crop Evol*. 58:585-618 ; Terra, G.J.A., 1973, *Tropical Vegetables*. *Communication* 54e Royal Tropical Institute, Amsterdam, p 73, 75 ; Thaman, R.R., 1976, *The Tongan Agricultural System*, University of the South Pacific, Suva, Fiji. p 423 ; Thothathri, K., & Pal, G.D., 1987, *Further Contribution to the Ethnobotany of Subansiri District, Aranchal Pradesh*. *J. Econ. Tax. Bot.* Vol. 10 No. 1 pp 149-157 ; Tindall, H.D., 1983, *Vegetables in the Tropics*, Macmillan p 370 ; UPHOF, ; Urban, A., 1990, *Wildflowers of Inland Australia*. Portside editions. p 167 ; Vainio-Mattila, K., 2000, *Wild vegetables used by the Sambia in the Usumbara Mountains, NE Tanzania*. *Ann. Bot. Fennici* 37:57-67 ; VAN ETEN et al, ; van Wyk, B., 2005, *Food Plants of the World. An illustrated guide*. Timber press. p 349 ; van Wyk, Be., & Gericke, N., 2007, *People's plants. A Guide to Useful Plants of Southern Africa*. Briza. p 56 ; Vartak, V.D. and Kulkarni, D.K., 1987, *Monsoon wild leafy vegetables from hilly regions of Pune and neighbouring districts, Maharashtra state*. *J. Econ. Tax. Bot.* Vol. 11 No. 2 pp 331-335 ; Vernon, R., 1983, *Field Guide to Important Arable Weeds of Zambia*. Dept of Agriculture, Chilanga, Zambia. p 66 ; WATT, ; Wehmeyer, A. S, 1986, *Edible Wild Plants of Southern Africa. Data on the Nutrient Contents of over 300 species* ; Wheeler, J.R.(ed.), 1992, *Flora of the Kimberley Region*. CALM, Western Australian Herbarium, p 732 ; Wijayakusuma, H.M.H., et al, 1996, *Tanaman Berkhasiat Obat Di Indonesia*. Pustaka Kartini. p 88 ; Williamson, J., 2005, *Useful Plants of Malawi*. 3rd. Edition. Mdadzi Book Trust. p 228 ; Wujisguleng, W., & Khasbagen. K., 2010, *An integrated assessment of wild vegetable resources in Inner Mongolian Autonomous Region, China*. *Journal of Ethnobiology and Ethnomedicine* 6:34 ; Yuncker, T.G., 1959, *Plants of Tonga*, Bernice P.

*Bishop Museum, Hawaii, Bulletin 220. p 238 ; Zon, A.P.M. van der, Grubben, G.J.H., 1976, Les legumes-feuilles spontanés et cultivés du Sud-Dahomey, Communication 65, Royal Tropical Institute, Amsterdam, p 92*