

Ekebergia capensis Sparrm.

Identifiants : 12431/ekicap

Association du Potager de mes/nos Rêves (<https://lepotager-demesreves.fr>)

Fiche réalisée par Patrick Le Ménahèze

Dernière modification le 11/05/2024

- Classification phylogénétique :

- Clade : Angiospermes ;
- Clade : Dicotylédones vraies ;
- Clade : Rosidées ;
- Clade : Malvidées ;
- Ordre : Sapindales ;
- Famille : Meliaceae ;

- Classification/taxinomie traditionnelle :

- Règne : Plantae ;
- Division : Magnoliophyta ;
- Classe : Magnoliopsida ;
- Ordre : Sapindales ;
- Famille : Meliaceae ;
- Genre : Ekebergia ;

- Synonymes : *Ekerbergia buchananii* Harms, *Ekerbergia meyeri* C. Presl ex C. DC, *Ekebergia senegalensis* A. Juss, *Ekebergia rueppelliana* (Fresen.) A. Rich, *Ekebergia mildbraedii* Harms ;

- Nom(s) anglais, local(aux) et/ou international(aux) : Dog plum, Cape ash, , Aiceria, Inyamanti, Itoma, Kudekuda, Magweddia, Manenae, Marnenae, Messequine, Mudanhatsindi, Mutomana, Muvhuranyimo, Nhamare, Nhamauira, Nodope, Olooncho, Sheru, Somboo ;



- Rapport de consommation et comestibilité/consommabilité inférée (partie(s) utilisable(s) et usage(s) alimentaire(s) correspondant(s)) :

Parties comestibles : fruits, graines^{{{0(+x)}} (traduction automatique)} | Original : Fruit, Seeds^{{{0(+x)}}} Les fruits sont consommés crus

Partie testée : fruit^{{{0(+x)}} (traduction automatique)}

Original : Fruit^{{{0(+x)}}}

Taux d'humidité	Énergie (kj)	Énergie (kcal)	Protéines (g)	Pro-vitamines A (µg)	Vitamines C (mg)	Fer (mg)	Zinc (mg)
74.6	370	86	1.4	0	1.0	2.4	0.6



néant, inconnus ou indéterminés.

- Illustration(s) (photographie(s) et/ou dessin(s)):

- Liens, sources et/ou références :

dont classification :

dont livres et bases de données : ⁰"Food Plants International" (en anglais) ;

dont biographie/références de ⁰"FOOD PLANTS INTERNATIONAL" :

Fowler, D. G., 2007, *Zambian Plants: Their Vernacular Names and Uses*. Kew. p 47 ; INFOODS:FAO/INFOODS Databases ; Lulekal, E., et al, 2011, *Wild edible plants in Ethiopia: a review on their potential to combat food insecurity*. Afrika Focus - Vol. 24, No 2. pp 71-121 ; Mairura, F.S., 2008. *Ekebergia capensis* Sparrm. [Internet] Record from Protabase. Louppe, D., Oteng-Amoako, A.A. & Brink, M. (Editors). PROTA (Plant Resources of Tropical Africa), Wageningen, Netherlands. < <http://database.prota.org/search.htm>>. Accessed 15 October 2009. ; Mengistu, F. & Hager, H., 2008, *Wild Edible Fruit Species Cultural Domain, Informant Species Competence and Preference in Three Districts of Amhara Region, Ethiopia*. Ethnobotany Research & Applications 6:487-502 ; Palmer & Pitman, 1972, ; Peters, C. R., O'Brien, E. M., and Drummond, R.B., 1992, *Edible Wild plants of Sub-saharan Africa*. Kew. p 146 ; Regassa, T., et al, 2014, *Ethnobotany of Wild and Semi-Wild Edible Plants of Chelia District, West-Central Ethiopia*. Science, Technology and Arts Research Journal. 3(4): 122-134 ; Roodt, V., 1998, *Trees & Shrubs of the Okavango Delta. Medicinal Uses and Nutritional value. The Shell Field Guide Series: Part 1. Shell Botswana*. p 196 ; Royal Botanic Gardens, Kew (1999). *Survey of Economic Plants for Arid and Semi-Arid Lands (SEPASAL) database*. Published on the Internet; <http://www.rbgekew.org.uk/ceb/sepasal/internet> [Accessed 3rd May 2011] ; Sina, B. & Degu, H. D., 2015, *Knowledge and use of Wild Edible Plants in the Hula District of the Sidama Zone*. International Journal of Bio-resource and Stress Management 6(3):352-365 ; Swaziland's Flora Database <http://www.sntc.org.sz/flora> ; Tebkew, M., et al, 2018, *Uses of wild edible plants in Quara district, northwest Ethiopia: implication for forest management*. Agriculture and Food Security (2018) 7:12 ; Wehmeyer, A. S, 1986, *Edible Wild Plants of Southern Africa. Data on the Nutrient Contents of over 300 species* ; www.zimbabweflora.co.zw 2011 ; www.worldagroforestrycentre.org/sea/products/afdbases/af/asp/SpeciesInfo.asp?SpID=720