

Rumex crispus L.

Identifiants : 28208/rumcri

Association du Potager de mes/nos Rêves (<https://lepotager-demesreves.fr>)

Fiche réalisée par Patrick Le Ménahèze

Dernière modification le 04/05/2024

- **Classification phylogénétique :**

- Clade : Angiospermes ;
- Clade : Dicotylédones vraies ;
- Ordre : Caryophyllales ;
- Famille : Polygonaceae ;

- **Classification/taxinomie traditionnelle :**

- Règne : Plantae ;
- Division : Magnoliophyta ;
- Classe : Magnoliopsida ;
- Ordre : Polygonales ;
- Famille : Polygonaceae ;
- Genre : Rumex ;

- **Synonymes :** *Acetosa conglomerata* (Murray) M. Gomez, *Rumex conglomeratus* Murray ;

- **Nom(s) anglais, local(aux) et/ou international(aux) :** Sour dock, Curled dock, Yellow dock, , Acedera cresa, Adameveligi, Alabardagi, Arracachueco, Azeda-crespa, Ebe kuzulagi, Evelik, Ghvalo, Hualtata, Hummaid, Huragan qahi, Kalar-chinbaung-nge, Labaca-crespa, Labada, Langua de vaca crespa, Lengua de caballo, Lechugon, Lenguaiquay, Lidvololenkhonyane, Lingua-devaca, Luerduo, Niushetou, Romaza, Rombice, Rombicia, Romice, Som, Sopal, Sorijaengi, Tarsho, TÇrsho, Trshoke, Yedahuang ;



- **Note comestibilité :** **

- **Rapport de consommation et comestibilité/consommabilité inférée (partie(s) utilisable(s) et usage(s) alimentaire(s) correspondant(s)) :**

Feuilles^{0(+x)} - cuites (bouillies^{0(+x)}).

Les très jeunes feuilles peuvent être ajoutées aux salades. Ils sont également utilisés dans la soupe. Leaves sont bouillis. S'ils sont amers, l'eau doit être changée 2 ou 3 fois. Ils sont utilisés dans les soupes. Lorsqu'il est cuit dans du lait, le goût astringent disparaît. Les feuilles sont utilisées pour le sarma en Turquie. Ils sont enroulés autour d'une garniture de riz ou de viande hachée. Les graines peuvent être cuites et mangées mais sont amères. Ils sont utilisés dans les crêpes.
ATTENTION: Les feuilles peuvent contenir des oxalates

Partie testée : feuilles - bouillies^{0(+x)} (traduction automatique)

Original : Leaves - boiled^{0(+x)}

Taux d'humidité	Énergie (kj)	Énergie (kcal)	Protéines (g)	Pro-vitamines A (µg)	Vitamines C (mg)	Fer (mg)	Zinc (mg)
93.6	84	20	1.8	347	26.3	2.1	0.2



néant, inconnus ou indéterminés.

- **Note médicinale :** ***

- **Illustration(s) (photographie(s) et/ou dessin(s)):**

- **Autres infos :**

dont infos de "FOOD PLANTS INTERNATIONAL" :

◦ **Statut :**

Les feuilles sont vendues sur les marchés locaux^{{{(0+x)} (traduction automatique)}}.

Original : Leaves are sold in local markets^{{{(0+x)}}}.

◦ **Distribution :**

C'est une plante tempérée. Il pousse souvent auto-semé dans un terrain vague. Il peut pousser sur les plages de galets. Il peut pousser dans un sol gorgé d'eau et survivre en étant recouvert d'eau lors d'inondations. Il pousse dans les zones humides. Au Zimbabwe, il pousse entre 1 220 et 1 700 m au-dessus du niveau de la mer. En Argentine, il passe du niveau de la mer à 3700 m d'altitude. Herbier de Tasmanie. En Mongolie intérieure. Il pousse dans le Sichuan et le Yunnan^{{{(0+x)} (traduction automatique)}}.

Original : It is a temperate plant. It often grows self sown in waste ground. It can grow in cobble beach shores. It can grow in waterlogged soil and survive being covered with water in floods. It grows in wetlands. In Zimbabwe it grows between 1,220-1,700 m above sea level. In Argentina it grows from sea level to 3,700 m above sea level. Tasmania Herbarium. In Inner Mongolia. It grows in Sichuan and Yunnan^{{{(0+x)}}}.

◦ **Localisation :**

Afghanistan, Afrique, Andes, Argentine, Arménie, Asie, Australie, Bahamas, Balkans, Bangladesh, Bosnie, Brésil, Grande-Bretagne, Cameroun, Canada, Caucase, Afrique centrale, Amérique centrale, Chili, Chine, Cuba, République tchèque, République dominicaine, Afrique de l'Est, Île de Pâques, Timor oriental, Égypte, Europe, Malouines, Géorgie, Haïti, Himalaya, Inde, Indochine, Iran, Italie, Jamaïque, Japon, Jordanie, Kazakhstan, Corée, Kosovo, Kirghizistan, Lesotho, Île Lord Howe, Libéria, Macédoine, Île Macquarie, Mexique, Mongolie, Myanmar, Nouvelle-Zélande, Afrique du Nord, Amérique du Nord, Pacifique, Pakistan, Papouasie-Nouvelle-Guinée, PNG, Pologne, Porto Rico, Russie, Arabie saoudite, Asie du Sud-Est, Serbie, Slovénie, Afrique du Sud, Afrique australe, Amérique du Sud, Espagne, Tasmanie, Thaïlande, Timor-Leste, Turquie, Uruguay, USA, Vietnam, Afrique de l'Ouest, Antilles, Zimbabwe^{{{(0+x)} (traduction automatique)}}.

Original : Afghanistan, Africa, Andes, Argentina, Armenia, Asia, Australia, Bahamas, Balkans, Bangladesh, Bosnia, Brazil, Britain, Cameroon, Canada, Caucasus, Central Africa, Central America, Chile, China, Cuba, Czech Republic, Dominican Republic, East Africa, Easter Island, East Timor, Egypt, Europe, Falklands, Georgia, Haiti, Himalayas, India, Indochina, Iran, Italy, Jamaica, Japan, Jordan, Kazakhstan, Korea, Kosovo, Kyrgyzstan, Lesotho, Lord Howe Island, Liberia, Macedonia, Macquarie Island, Mexico, Mongolia, Myanmar, New Zealand, North Africa, North America, Pacific, Pakistan, Papua New Guinea, PNG, Poland, Puerto Rico, Russia, Saudi Arabia, SE Asia, Serbia, Slovenia, South Africa, Southern Africa, South America, Spain, Tasmania, Thailand, Timor-Leste, Turkey, Uruguay, USA, Vietnam, West Africa, West Indies, Zimbabwe^{{{(0+x)}}}.

◦ **Notes :**

Il existe environ 200 espèces de Rumex^{{{(0+x)} (traduction automatique)}}.

Original : There are about 200 Rumex species^{{{(0+x)}}}.

• **Liens, sources et/ou références :**

◦ ⁵"Plants For a Future" (en anglais) : https://pfaf.org/user/Plant.aspx?LatinName=Rumex_crispus ;

dont classification :

dont livres et bases de données : ⁰"Food Plants International" (en anglais) ;

dont biographie/références de ⁰"FOOD PLANTS INTERNATIONAL" :

AI-Qura'n, S. A., 2010, Ethnobotanical and Ecological Studies of Wild Edible Plants in Jordan. Libyan Agriculture Research Center Journal International 1(4):231-243 ; Ambasta S.P. (Ed.), 2000, The Useful Plants of India. CSIR India. p 534 ; Anderson, M. K., 2012, Edible Seeds and Grains of California Tribes and the Klamath Tribe of Oregon in the Phoebe Apperson Hearst Museum of Anthropology Collections, University of California, Berkeley. USDA p 15 ; Arellanes, Y., et al, 2013, Influence of traditional markets on plant management in the Tehuacan Valley. Journal of Ethnobiology and Ethnomedicine 9:38 ; Ari, S., et al, 2015, Ethnobotanical survey of plants used in Afyonkarahisar-Turkey. Journal of Ethnobiology and Ethnomedicine 11:84 ; Beckstrom-Sternberg, Stephen M., and James A. Duke. "The Foodplant Database." <http://probe.nalusda.gov:8300/cgi-bin/browse/foodplantdb>. (ACEDB version 4.0 - data version July 1994) ; Biscotti, N. et al, 2018, The traditional food use of wild vegetables in Apulia

(Italy) in the light of Italian ethnobotanical literature. *Italian Botanist* 5:1-24 ; Bodkin, F., 1991, *Encyclopedia Botanica*. Cornstalk publishing, p 894 ; Bremness, L., 1994, *Herbs*. Collins Eyewitness Handbooks. Harper Collins. p 212 ; Burkhill, H. M., 1985, *The useful plants of west tropical Africa*, Vol. 4. Kew. ; Bussman, R. W. et al, 2017, *Ethnobotany of Samtskhe-Javakheti, Sakartvelo (Republic of Georgia), Caucasus*. Indian Journal of Traditional Knowledge Vol. 16(1) pp 7-24 ; Caballero, J. N., & Mapes, C. S., 1985, *Gathering and Subsistence Patterns among the P'urhepecha Indians of Mexico*. J. Ethnol. 5(1): 31-47 ; Cakir, E. A., 2017, *Traditional knowledge of wild edible plants of Iğdır Province (East Anatolia, Turkey)*. Acta Soc Bot Pol. 2017;86(4):3568 ; Cerne, M., 1992, *Wild Plants from Slovenia used as Vegetables*. Acta Horticulturae 318. ; Cordero, S. E., Abello, L. A., & Galvez, F. L., 2017, *Plantas silvestres comestibles y medicinales de Chile y otras partes del mundo*. CORMA p 230 ; Curtis, W.M., 1993, *The Student's Flora of Tasmania*. Part 3 St David's Park Publishing, Tasmania, p 584 ; Dashorst, G.R.M., and Jessop, J.P., 1998, *Plants of the Adelaide Plains & Hills*. Botanic Gardens of Adelaide and State Herbarium. p 52 ; Dogan, Y., et al, 2015, *Of the importance of a leaf: the ethnobotany of sarma in Turkey and the Balkans*. Journal of Ethnobiology and Ethnomedicine, 11:56 ; Elias, T.S. & Dykeman P.A., 1990, *Edible Wild Plants*. A North American Field guide. Sterling, New York p 121 ; Ertug, F., 2000, *An Ethnobotanical Study in Central Anatolia (Turkey)*. Economic Botany Vol. 54. No. 2. pp. 155-182 ; Ertug, F., Yenen Bitkiler. Resimli Târkiye Floraları -I- Flora of Turkey - Ethnobotany supplement ; Esperanca, M. J., 1988. *Surviving in the wild. A glance at the wild plants and their uses*. Vol. 2. p 237 ; Facciola, S., 1998, *Cornucopia 2: a Source Book of Edible Plants*. Kampong Publications, p 187 ; FAO, 1988, *Traditional Food Plants*, FAO Food and Nutrition Paper 42. FAO Rome p 430 ; Flora of Australia Volume 49, *Oceanic Islands 1*, Australian Government Publishing Service, Canberra. (1994) p 102 ; Flora of China @ efloras.org Volume 5 ; Fox, F. W. & Young, M. E. N., 1982, *Food from the Veld*. Delta Books. p 306 ; Gunes, S. et al, 2018, *Survey of wild food plants for human consumption in Karaisalı (Adana-Turkey)*. Indian Journal of Traditional Knowledge. Vol. 17(2), April 2018, pp 290-298 ; Grubbens, G. J. H. and Denton, O. A. (eds), 2004, *Plant Resources of Tropical Africa 2. Vegetables*. PROTA, Wageningen, Netherlands. p 564 ; Harris, S., Buchanan, A., Connolly, A., 2001, *One Hundred Islands: The Flora of the Outer Furneaux*. Tas Govt. p 217 ; Hedrick, U.P., 1919, (Ed.), *Sturtevant's edible plants of the world*. p 583 ; Henty, E.E., & Pritchard, G.S., 1973, *Weeds of New Guinea and their control*. Botany Bulletin No 7, Division of Botany, Lae, PNG. p 142 ; Henty, E.E., in Womersley, J.S., (ed), 1978, *Handbooks of the Flora of Papua New Guinea*. Melbourne University Press, Victoria. Vol 1, p 248 ; Henty, E.E., 1980, *Harmful Plants in Papua New Guinea*. Botany Bulletin No 12. Division Botany, Lae, Papua New Guinea. p 120, 119 ; Hovsepyan, R., et al, 2016, *Food as a marker for economy and part of identity: traditional vegetal food of Yezidis and Kurds in Armenia*. Journal of Ethnic Foods. 3:32-41 ; Hussey, B.M.J., Keighery, G.J., Cousens, R.D., Dodd, J., Lloyd, S.G., 1997, *Western Weeds. A guide to the weeds of Western Australia*. Plant Protection Society of Western Australia. p 200 ; Hwang, H., et al, 2013, *A Study on the Flora of 15 Islands in the Western Sea of Jeollanamdo Province, Korea*. Journal of Asia-Pacific Biodiversity Vol. 6, No. 2 281-310 ; Hyde-Wyatt, B.H. & Morris D.I., 1975, *Tasmanian Weed Handbook*. Dept of Ag Tasmania. p 24, 55 ; Irving, M., 2009, *The Forager Handbook, A Guide to the Edible Plants of Britain*. Ebury Press p 179 ; JSTOR Global Plants edible ; Kang, Y., et al, 2012, *Wild food plants and wild edible fungi in two valleys on the Qinling Mountains (Shaanxi, central China)* Journal of Ethnobiology and Ethnomedicine; 9:26 ; Kargioglu, M., et al, 2008, *An Ethnobotanical Survey of Inner-West Anatolia, Turkey*. Human Ecology 36:763-777 ; Kermath, B. M., et al, 2014, *Food Plants in the Americas: A survey of the domesticated, cultivated and wild plants used for Human food in North, Central and South America and the Caribbean*. On line draft. p 768 ; Khasbagan, Yeruhan and Zhao Hui, 2011, *Study on Traditional Knowledge of Wild Edible Plants Used by the Mongolians in Xilingol Typical Steppe Area*. Plant Diversity and Resources. 33(2): 239-246 ; Kim, H. & Song, M., 2013, *Ethnobotanical analysis for traditional knowledge of wild edible plants in North Jeolla Province (Korea)*. Genetic. Resour. Crop Evol. (2013) 60:1571-1585 ; Kiple, K.F. & Ornelas, K.C., (eds), 2000, *The Cambridge World History of Food*. CUP p 1766 ; Koca, I., et al, 2015, *Some Wild Edible Plants and Their Dietary Fiber Contents*. Pakistan Journal of Nutrition. 14(4): 188-194 ; Lamp, C & Collet F., 1989, *Field Guide to Weeds in Australia*. Inkata Press. p 247 ; Lazarides, M. & Hince, B., 1993, *Handbook of Economic Plants of Australia*, CSIRO. p 208 ; Lentini, F. and Venza, F., 2007, *Wild food plants of popular use in Sicily*. J Ethnobiol Ethnomedicine. 3: 15 ; Long, C., 2005, *Swaziland's Flora - siSwati names and Uses* <http://www.sntc.org.sz/flora/> ; Low, T., 1991, *Wild Herbs of Australia and New Zealand*. Angus & Robertson. p 39 (Drawing) ; Low, T., 1992, *Bush Tucker. Australia's Wild Food Harvest*. Angus & Robertson. p 153 ; Łukasz Łuczaj and Wojciech M Szymbański, 2007, *Wild vascular plants gathered for consumption in the Polish countryside: a review*. J Ethnobiol Ethnomedicine. 3: 17 ; Luczaj, L. et al, 2017, *Comfrey and Buttercup Eaters: Wild Vegetables of the Imereti Region in Western Georgia, Caucasus*. Economic Botany, 71(2), 2017, pp. 188–193 ; Mabey, R., 1973, *Food for Free. A Guide to the edible wild plants of Britain*, Collins. p 104 ; MacKinnon, A., et al, 2009, *Edible & Medicinal Plants of Canada*. Lone Pine. p 320 ; Malezas Comestibles del Cono Sur, INTA, 2009, *Buenos Aires* ; Martin, F.W. & Ruberte, R.M., 1979, *Edible Leaves of the Tropics*. Antillian College Press, Mayaguez, Puerto Rico. p 214 ; Mercy, N. A., et al, 2016, *Survey of Wild Vegetables in the Lebialem Highlands of South Western Cameroon*. Journal of Plant Sciences 4(6): 172-184 ; Moerman, D. F., 2010, *Native American Ethnobotany*. Timber Press. p 496 ; Åzdemir, E. and Kâğıtâri, S., 2017, *Wild Edible Plants of Savaslıstepe District (Balıkesir, Turkey)*. Marmara Pharm J 21/3: 578-589 ; Paczkowska, G. & Chapman, A.R., 2000, *The Western Australian Flora. A Descriptive Catalogue*. Western Australian Herbarium. p 461 ; Pham-Hoang Ho, 1999, *An Illustrated Flora of Vietnam*. Nha Xuat Ban Tre. p 742 ; Pieroni, A., 1999, *Gathered wild food plants in the Upper Valley of the Serchio River (Garfagnana), Central Italy*. Economic Botany 53(3) pp 327-341 ; Pieroni, A., et al, 2017, *The spring has arrived: traditional wild vegetables gathered by Yarsanis (Ahl-e Haqq) and Sunni Muslims in Western Hawraman, SE Kurdistan (Iraq)*. Acta Soc Bot Pol 86(1):3519 ; Plants for a Future database, The Field, Penpol, Lostwithiel, Cornwall, PL22 0NG, UK. <http://www.scs.leeds.ac.uk/pfaf/> ; Plants of Haiti Smithsonian Institute <http://botany.si.edu/antilles/West Indies> ; Redzic, S., 2010, *Use of Wild and Semi-Wild Edible Plants in Nutrition and Survival of People in 1430 Days of Siege of Sarajevo during the War in Bosnia and Herzegovina (1992–1995)*. Coll. Antropol 34 (2010) 2:551-570 ; Romanowski, N., 2007, *Edible Water Gardens*. Hyland House. p 114 ; Sainty, G.R. & Jacobs, S.W.L., 1981, *Waterplants of New South Wales*. Water Resources Commission. NSW p 355 ; Saunders, C.F., 1948, *Edible and Useful Wild Plants*. Dover. New York. p 121 ; Schneider, E., 2001, *Vegetables from Amaranth to Zucchini: The essential reference*. HarperCollins. p 574 ; Senkardes, I & Tuzlaci, E., 2016, *Wild Edible Plants of Southern Part of Nevşehir in Turkey*. Marmara

Pharmaceutical Journal 20:34-43 ; Shaheen, N., et al, 2013, *Food Composition Table for Bangladesh*. University of Daka. p 33 ; Simkova, K. et al, 2014, *Ethnobotanical review of wild edible plants used in the Czech Republic*. *Journal of Applied Botany and Food Quality* 88, 49-67 ; Somnasang, P., Moreno, G and Chusil K., 1998, *Indigenous knowledge of wild hunting and gathering in north-east Thailand*. *Food and Nutrition Bulletin* 19(4) p 359f ; Sp. pl. 1:335, 1753 ; Stern, G., 1986, *Australian Weeds. A Source of Food and Medicine*. Harper & Row. p 69 ; Tasmanian Herbarium Vascular Plants list p 45, 101 ; Tardio, J., et al, *Ethnobotanical review of wild edible plants in Spain*. *Botanical J. Linnean Soc.* 152 (2006), 27-71 ; Terra, G.J.A., 1973, *Tropical Vegetables. Communication 54e Royal Tropical Institute, Amsterdam*, p 70 ; Tukan, S. K., et al, 1998, *The use of wild edible plants in the Jordanian diet*. *International Journal of Food Sciences and Nutrition*. 49:225-235 ; Upson, R., & Lewis R., 2014, *Updated Vascular Plant Checklist and Atlas for the Falkland Islands*. *Falklands Conservation and Kew*. ; van Wyk, Be., & Gericke, N., 2007, *People's plants. A Guide to Useful Plants of Southern Africa*. Briza. p 74 ; Vieyra-Odilon, L and Vibrans, H., 2001, *Weeds as Crops: The Value of Maize Field Weeds in the Valley of Toluca, Mexico*. *Economic Botany* 55(3):426-443 ; Villagran, C., et al, 1999, *La Tradicion Altiplanica: Estudio Etnobotanico en Los Andes de Iquique, Primera Region, Chile*. Chungara, volumen 31 No. 1 pp 81-186 ; Westerway, J., et al, 2018, *Preliminary checklist of the naturalised and pest plants of Timor-Leste*. *Blumea* 63:157-163 ; www.wildediblefood.com ; Zhang, Y., et al, 2014, *Diversity of wetland plants used traditionally in China: a literature review*. *Journal of Ethnobiology and Ethnomedicine*. 10:72 ; Zizka, G., 1991, *Flowering Plants of Easter Island*. *Palmarum Hortus Francofurtensis*