

***Sporobolus pyramidalis* P. Beauv.**

Identifiants : 37705/spopyr

Association du Potager de mes/nos Rêves (<https://lepotager-demesreves.fr>)

Fiche réalisée par Patrick Le Ménahèze

Dernière modification le 12/05/2024

- **Classification phylogénétique :**

- Clade : Angiospermes ;
- Clade : Monocotylédones ;
- Clade : Commelinidées ;
- Ordre : Poales ;
- Famille : Poaceae ;

- **Classification/taxinomie traditionnelle :**

- Règne : Plantae ;
- Division : Magnoliophyta ;
- Classe : Liliopsida ;
- Ordre : Cyperales ;
- Famille : Poaceae ;
- Genre : *Sporobolus* ;

- **Synonymes :** *Sporobolus indicus* var. *pyramidalis* (P. Beauv.) Peter, *Sporobolus hypseloteros* Chiov, *Sporobolus rueppelianus* Fresen, *Vilfa pyramidalis* (P. Beauv.) Steud, *Vilfa rueppeliana* (Fresen.) Steud ;

- **Nom(s) anglais, local(aux) et/ou international(aux) :** Rat's tail grass, Catstail grass, Catstail drop seed, , Aish el far, Burdi, Gansaga, Girole, Kurbata, Mol, Mon, Motisan, Saga, Tamara el fahr, Tot, Tsinde ;



- **Rapport de consommation et comestibilité/consommabilité inférée (partie(s) utilisable(s) et usage(s) alimentaire(s) correspondant(s)) :**

Parties comestibles : graines, céréales^{{{0(+x) (traduction automatique)}}} | **Original :** Seeds, Cereal^{{{0(+x)}}} **Les graines sont consommées comme un grain**



néant, inconnus ou indéterminés.

- **Liens, sources et/ou références :**

dont classification :

dont livres et bases de données : ⁰"Food Plants International" (en anglais) ;

dont biographie/références de ⁰"FOOD PLANTS INTERNATIONAL" :

Abbiw, D.K., 1990, *Useful Plants of Ghana. West African uses of wild and cultivated plants. Intermediate Technology Publications and the Royal Botanic Gardens, Kew.* p 26 ; Addis, G., Asfaw, Z & Woldu, Z., 2013, *Ethnobotany of Wild and Semi-wild Edible Plants of Konso Ethnic Community, South Ethiopia. Ethnobotany Research and Applications.* 11:121-141 ; Asfaw, Z. and Tadesse, M., 2001, *Prospects for Sustainable Use and Development of Wild Food Plants in Ethiopia. Economic Botany, Vol. 55, No. 1, pp. 47-62* ; Balemie, K., & Kebebew, F., 2006, *Ethnobotanical study of wild edible plants in Derashe and Kucha Districts, South Ethiopia. Journal of Ethnobiology and Ethnomedicine.* 2:53 ; Burkill, H. M., 1985, *The useful plants of west tropical Africa, Vol. 2. Kew.* ;

Fl. Oware 2:36, t. 80. 1816 ; *Flora Zambesiaca*. <http://apps.kew.org/efloras> ; Fowler, D. G., 2007, *Zambian Plants: Their Vernacular Names and Uses*. Kew. p 73 ; Gallagher, D. E., 2010, *Farming beyond the escarpment: Society, Environment, and Mobility in Precolonial Southeastern Burkina Faso*. PhD University of Michigan. ; Hussey, B.M.J., Keighery, G.J., Cousens, R.D., Dodd, J., Lloyd, S.G., 1997, *Western Weeds. A guide to the weeds of Western Australia*. Plant Protection Society of Western Australia. p 70 ; Jardin, C., 1970, *List of Foods Used In Africa*, FAO Nutrition Information Document Series No 2.p 8 ; JSTOR Global Plants edible ; Lulekal, E., et al, 2011, *Wild edible plants in Ethiopia: a review on their potential to combat food insecurity*. *Afrika Focus* - Vol. 24, No 2. pp 71-121 ; Norton, et al, 1987, ; Peters, C. R., O'Brien, E. M., and Drummond, R.B., 1992, *Edible Wild plants of Sub-saharan Africa*. Kew. p 28 ; Royal Botanic Gardens, Kew (1999). *Survey of Economic Plants for Arid and Semi-Arid Lands (SEPASAL) database*. Published on the Internet; <http://www.rbgekew.org.uk/ceb/sepasal/internet> [Accessed 4th June 2011] ; Swaziland's Flora Database <http://www.sntc.org.sz/flora>